Author Index Vol. 777

Alvi, S.N., see Husain, S. 777(1997)370
Antos, D., see Kaczmarski, K. 777(1997)383
Apffel, A., Chakel, J.A., Fischer, S., Lichtenwalter, K. and Hancock, W.S.
New procedure for the use of high-performance liquid chromatography–electrospray ionization mass spectrometry for the analysis of nucleotides and oligonucleotides 777(1997)3
Arpino, P., see Giraud, D. 777(1997)115
Barceló, D., see Ferrer, I. 777(1997)91
Barceló, D., see Lacorte, S. 777(1997)99
Barceló, D., see Ràfols, C. 777(1997)177
Bermond, A., see Giraud, D. 777(1997)115
Biesaga, M., Kwiatkowska, M. and Trojanowicz, M.
Separation of chlorine-containing anions by ion chromatography and capillary electrophoresis 777(1997)375
Bishop, A.G., see James, K.J. 777(1997)213
Boelens, H.F.M., see Busch, M.H.A. 777(1997)311
Boria, P., see James, K.J. 777(1997)213
Brambilla, G., see Draisci, R. 777(1997)201
Brancaleoni, E., see Ciccioli, P. 777(1997)267
Brinkman, U.A.Th., see Hogenboom, A.C. 777(1997)81
Brodbelt, J.S., see Hall, B.J. 777(1997)275
Bronner, U., see Nordin, J. 777(1997)73
Bryant, M.S., Korfmacher, W.A., Wang, S., Nardo, C., Nomeir, A.A. and Lin, C.-C.
Pharmacokinetic screening for the selection of new drug discovery candidates is greatly enhanced through the use of liquid chromatography–atmospheric pressure ionization tandem mass spectrometry 777(1997)61
Buchwald, A. and Kauschus, W.
Description of the solubilities of solids in supercritical fluids 777(1997)283
Busch, M.H.A., Carels, L.B., Boelens, H.F.M., Kraak, J.C. and Poppe, H.
Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311
Busch, M.H.A., Kraak, J.C. and Poppe, H.
Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329
Buscher, B.A.P., Hofte, A.J.P., Tjaden, U.R. and Van der Greef, J.
On-line electrodialysis–capillary zone electrophoresis–mass spectrometry of inositol phosphates in complex matrices 777(1997)51
Camel, V., see Giraud, D. 777(1997)115
Carels, L.B., see Busch, M.H.A. 777(1997)311
Cecinato, A., see Ciccioli, P. 777(1997)267
Chakel, J.A., see Apffel, A. 777(1997)3
Ciccioli, P., Brancaleoni, E., Mabilia, R. and Cecinato, A.
Simple laboratory-made system for the determination of C_2–C_7 hydrocarbons relevant to photochemical smog pollution 777(1997)267
Draisci, R., Giannetti, L., Lucentini, L., Palleschi, L., Brambilla, G., Serpe, L. and Gallo, P.
Determination of nitrofuran residues in avian eggs by liquid chromatography–UV photodiode array detection and confirmation by liquid chromatography–ionspray mass spectrometry 777(1997)201
Draisci, R., see James, K.J. 777(1997)213
Dunkel, R., Rüttinger, H.-H. and Peisker, K.
Comparative study for the separation of aquatic humic substances by electrophoresis 777(1997)355
Edwards, D.P. and Ford, M.G.
Separation and analysis of the diastereomers and enantiomers of cypermethrin and related compounds 777(1997)363
Ericsson, Ö., see Nordin, J. 777(1997)73
Fadeev, A.Yu., see Mingalyov, P.G. 777(1997)249
Ferrer, I., Pichon, V., Hennion, M.-C. and Barceló, D.
Automated sample preparation with extraction columns by means of anti-isoproturon immunosorbents for the determination of phenylurea herbicides in water followed by liquid chromatography–diode array detection and liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 777(1997)91
Fischer, S., see Apffel, A. 777(1997)3
Fogelqvist, E., see Hulthe, G. 777(1997)141
Ford, M.G., see Edwards, D.P. 777(1997)363
Friedrich, C. and Kleiböhmer, W.
Supercritical CO_2-assisted liquid extraction of polycyclic aromatic hydrocarbons and polychlorinated dibenzo-*p*-dioxins and -furans from solid matrices 777(1997)289
Fuchslueger, U., Rissler, K., Grether, H.-J. and Grasserbauer, M.
High-performance liquid chromatography–atmospheric pressure negative chemical ionisation mass spectrometry of 2,4-dinitrophenyl derivatives of amines. Applications in epoxy chemistry 777(1997)193
Fuzzati, N., Pace, R., Papeo, G. and Peterlongo, F.
Identification of soyasaponins by liquid chromatography–thermospray mass spectrometry 777(1997)233
Galceran, M.T., see Moyano, E. 777(1997)167
Gallo, P., see Draisci, R. 777(1997)201
Games, D.E., see Moyano, E. 777(1997)167
Giannetti, L., see Draisci, R. 777(1997)201
Giannetti, L., see James, K.J. 777(1997)213
Giese, R.W., see Shen, X. 777(1997)261
Gillman, M., see James, K.J. 777(1997)213
Giraud, D., Ventura, A., Camel, V., Bermond, A. and Arpino, P.
Determination of traces of pesticides in water by solid-phase extraction and liquid chromatography–ionspray mass spectrometry 777(1997)115
Grasserbauer, M., see Fuchslueger, U. 777(1997)193
Grether, H.-J., see Fuchslueger, U. 777(1997)193
Gustafsson, L.L., see Nordin, J. 777(1997)73
Haddad, P.R., see Huang, Q. 777(1997)384

Haginaka, J. and Takehira, H.
Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. II. Comparison of chiral recognition properties with crude ovomucoid 777(1997)241
Hall, B.J. and Brodbelt, J.S.
Determination of barbiturates by solid-phase microextraction (SPME) and ion trap gas chromatography–mass spectrometry 777(1997)275
Hancock, W.S., see Apffel, A. 777(1997)3
Hennion, M.-C., see Ferrer, I. 777(1997)91
Hofte, A.J.P., see Buscher, B.A.P. 777(1997)51
Hogenboom, A.C., Speksnijder, P., Vreeken, R.J., Niessen, W.M.A. and Brinkman, U.A.Th.
Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization tandem mass spectrometry 777(1997)81
Huang, Q., Paull, B. and Haddad, P.R.
Erratum to "Optimisation of selectivity in the separation of metallo–cyanide complexes by ion-interaction liquid chromatography". [J. Chromatogr. A 770 (1997) 3–11] 777(1997)384
Hulthe, G., Stenhagen, G. and Fogelqvist, E.
Comparison of dynamic fast atom bombardment/liquid secondary ion mass spectrometry and electrospray mass spectrometry coupled to reversed-phase liquid chromatography for the determination of oligosaccharides in seawater 777(1997)141
Hulthe, G., Stenhagen, G., Wennerström, O. and Ottosson, C.-H.
Water clusters studied by electrospray mass spectrometry 777(1997)155
Husain, S., Narsimha, R., Alvi, S.N. and Rao, R.N.
Monitoring the products of condensation of 4-nitrobenzoyl chloride and 2,4-diaminobenzenesulphonic acid by ion-pair high-performance liquid chromatography 777(1997)370
James, K.J., Bishop, A.G., Gillman, M., Kelly, S.S., Roden, C., Draisci, R., Lucentini, L., Giannetti, L. and Boria, P.
Liquid chromatography with fluorimetric, mass spectrometric and tandem mass spectrometric detection for the investigation of the seafood-toxin-producing phytoplankton, *Dinophysis acuta* 777(1997)213
Jeanty, G., see Lacorte, S. 777(1997)99
Kaczmarski, K. and Antos, D.
Erratum to "Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography". [J. Chromatogr. A, 756 (1996) 73–87] 777(1997)383
Kauschus, W., see Buchwald, A. 777(1997)283
Kelly, S.S., see James, K.J. 777(1997)213
Kiseleva, E.V., see Poznyak, T.I. 777(1997)47
Kleiböhmer, W., see Friedrich, C. 777(1997)289
Korfmacher, W.A., see Bryant, M.S. 777(1997)61
Kraak, J.C., see Busch, M.H.A. 777(1997)311
Kraak, J.C., see Busch, M.H.A. 777(1997)329
Kriwacki, R.W., Wu, J., Tennant, L., Wright, P.E. and Siuzdak, G.
Probing protein structure using biochemical and biophysical methods. Proteolysis, matrix-assisted laser desorption/ionization mass spectrometry, high-performance liquid chromatography and size-exclusion chromatography of $p21^{Waf1/Cip1/Sdi1}$ 777(1997)23
Kwiatkowska, M., see Biesaga, M. 777(1997)375
Lacorte, S., Jeanty, G., Marty, J.-L. and Barceló, D.
Identification of fenthion and temephos and their transformation products in water by high-performance liquid chromatography with diode array detection and atmospheric pressure chemical ionization mass spectrometric detection 777(1997)99
Lamoree, M.H., Tjaden, U.R. and van der Greef, J.
Use of microdialysis for the on-line coupling of capillary isoelectric focusing with electrospray mass spectrometry 777(1997)31
Lichtenwalter, K., see Apffel, A. 777(1997)3
Lin, C.-C., see Bryant, M.S. 777(1997)61
Lucentini, L., see Draisci, R. 777(1997)201
Lucentini, L., see James, K.J. 777(1997)213
Mabilia, R., see Ciccioli, P. 777(1997)267
Marty, J.-L., see Lacorte, S. 777(1997)99
McCullagh, M., see Moyano, E. 777(1997)167
Mercati, V., see Raffaelli, A. 777(1997)223
Mingalyov, P.G., Orishchenko, N.V. and Fadeev, A.Yu.
Study of correlations between fine structure of bonded layer and affinity properties of silicas with attached cyclic oligopeptides 777(1997)249
Moneti, G., see Raffaelli, A. 777(1997)223
Moyano, E., McCullagh, M., Galceran, M.T. and Games, D.E.
Supercritical fluid chromatography–atmospheric pressure chemical ionisation mass spectrometry for the analysis of hydroxy polycyclic aromatic hydrocarbons 777(1997)167
Nardo, C., see Bryant, M.S. 777(1997)61
Narsimha, R., see Husain, S. 777(1997)370
Niessen, W.M.A., see Hogenboom, A.C. 777(1997)81
Nomeir, A.A., see Bryant, M.S. 777(1997)61
Nordin, J., Wikström, I., Bronner, U., Gustafsson, L.L. and Ericsson, Ö.
Liquid chromatography–tandem mass spectrometry applied to a study of the metabolism of pentamidine. Discussion of possibilities and problems 777(1997)73
Nyberg, F., see Silberring, J. 777(1997)41
Orishchenko, N.V., see Mingalyov, P.G. 777(1997)249
Ottosson, C.-H., see Hulthe, G. 777(1997)155
Pace, R., see Fuzzati, N. 777(1997)233
Palleschi, L., see Draisci, R. 777(1997)201
Papeo, G., see Fuzzati, N. 777(1997)233
Paull, B., see Huang, Q. 777(1997)384
Peisker, K., see Dunkel, R. 777(1997)355
Peterlongo, F., see Fuzzati, N. 777(1997)233
Pichon, V., see Ferrer, I. 777(1997)91
Poppe, H., see Busch, M.H.A. 777(1997)311
Poppe, H., see Busch, M.H.A. 777(1997)329
Poznyak, T.I., Kiseleva, E.V. and Turkina, T.I.
Distribution of the total unsaturation in lipid components of plasma as a new differential diagnostic method in clinical analysis 777(1997)47
Raffaelli, A., Moneti, G., Mercati, V. and Toja, E.
Mass spectrometric characterization of flavonoids in extracts from *Passiflora incarnata* 777(1997)223
Ràfols, C. and Barceló, D.
Determination of mono- and disulphonated azo dyes by liquid chromatography–atmospheric pressure ionization mass spectrometry 777(1997)177
Rao, R.N., see Husain, S. 777(1997)370
Rissler, K., see Fuchslueger, U. 777(1997)193
Roden, C., see James, K.J. 777(1997)213
Rüttinger, H.-H., see Dunkel, R. 777(1997)355

Sauter, T., see Schmeer, K. 777(1997)67
Schmeer, K., Sauter, T. and Schmid, J.
Rapid pharmacokinetic screening of salbutamol in plasma samples by column-switching high-performance liquid chromatography–electrospray mass spectrometry 777(1997)67
Schmid, J., see Schmeer, K. 777(1997)67
Schröder, H.F.
Analysis of polar organic pollutants in the Elbe river by flow injection analysis and high-performance liquid chromatography with tandem mass spectrometry 777(1997)127
Serpe, L., see Draisci, R. 777(1997)201
Shen, X. and Giese, R.W.
Hydrazide as a ligand moiety in immobilized metal ion affinity chromatography. Separation of BO–IMI and BODIPY–hydrazide 777(1997)261
Silberring, J. and Nyberg, F.
Rapid analysis of endogenous LVV-hemorphin-7 in cerebrospinal fluid by size-exclusion chromatography and electrospray ionization mass spectrometry 777(1997)41
Siuzdak, G., see Kriwacki, R.W. 777(1997)23
Speksnijder, P., see Hogenboom, A.C. 777(1997)81
Stenhagen, G., see Hulthe, G. 777(1997)141
Stenhagen, G., see Hulthe, G. 777(1997)155
Takehira, H., see Haginaka, J. 777(1997)241
Tennant, L., see Kriwacki, R.W. 777(1997)23
Tjaden, U.R., see Buscher, B.A.P. 777(1997)51
Tjaden, U.R., see Lamoree, M.H. 777(1997)31
Toja, E., see Raffaelli, A. 777(1997)223
Trojanowicz, M., see Biesaga, M. 777(1997)375
Turkina, T.I., see Poznyak, T.I. 777(1997)47
Van der Greef, J., see Buscher, B.A.P. 777(1997)51
Van der Greef, J., see Lamoree, M.H. 777(1997)31
Ventura, A., see Giraud, D. 777(1997)115
Vigh, G., see Williams, B.A. 777(1997)295
Vreeken, R.J., see Hogenboom, A.C. 777(1997)81
Wang, S., see Bryant, M.S. 777(1997)61
Wennerström, O., see Hulthe, G. 777(1997)155
Wikström, I., see Nordin, J. 777(1997)73
Williams, B.A. and Vigh, G.
Dry look at the CHARM (charged resolving agent migration) model of enantiomer separations by capillary electrophoresis 777(1997)295
Wright, P.E., see Kriwacki, R.W. 777(1997)23
Wu, J., see Kriwacki, R.W. 777(1997)23